



ICE AGE

Ice Age (Shandong)
Refrigeration Technology Co., Ltd.

Website: www.sdiceage.com
E-mail: manager@sdiceage.com
Whatsapp: +86 18678811668
Mobile: +86 18678811668
Tel: 86-531-86048698



ICE AGE

Ice Age (Shandong)
Refrigeration Technology Co., Ltd.



Single door wine freezer

Overall dimensions: 605*600*1980
 Inner liner size: 490*500*1400
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 1.5KW/24h
 net weight: 45KG
 volume: 350L
 temperature range: 0~10℃



Single door direct cooling display freezer

Overall dimensions: 600*620*2050
 Inner liner size: 520*510*1530
 Voltage: 220V/50HZ
 power: 92W
 power consumption: 1.48KW/24h
 net weight: 40KG
 volume: 400L
 temperature range: 0~10℃

Double door wine freezer

Overall dimensions: 1200*600*1980
 Inner liner size: 1105*500*1400
 Voltage: 220V/50HZ
 power: 150W
 power consumption: 2.5KW/24h
 net weight: 90KG
 volume: 700L
 temperature range: 0~10℃



Double door direct cooling display freezer

Overall dimensions: 1200*620*2050
 Inner liner size: 1120*510*1530
 Voltage: 220V/50HZ
 power: 148W
 power consumption: 2.48KW/24h
 net weight: 85KG
 volume: 875L
 temperature range: 0~10℃



Three door wine freezer

Overall dimensions: 1800*600*1980
 Inner liner size: 1700*500*1400
 Voltage: 220V/50HZ
 power: 220W
 power consumption: 3.5KW/24h
 net weight: 130KG
 volume: 1170L
 temperature range: 0~10℃



Three door direct cooling display freezer

Overall dimensions: 1800*620*2050
 Inner liner size: 1785*510*1530
 Voltage: 220V/50HZ
 power: 218W
 power consumption: 3.5KW/24h
 net weight: 120KG
 volume: 1300L
 temperature range: 0~10℃



Single door black diamond display freezer

Overall dimensions: 600*650*2050
 Inner liner size: 520*510*1530
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 1.5KW/24h
 net weight: 40KG
 volume: 400L
 temperature range: 0~10℃



Single door air-cooled display freezer

Overall dimensions: 600*650*2050
 Inner liner size: 520*510*1530
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 1.5KW/24h
 net weight: 40KG
 volume: 400L
 temperature range: 0~10℃

Double door black diamond display freezer

Overall dimensions: 1200*650*2050
 Inner liner size: 1120*510*1530
 Voltage: 220V/50HZ
 power: 150W
 power consumption: 2.5KW/24h
 net weight: 85KG
 volume: 875L
 temperature range: 0~10℃



Double door air-cooled display freezer

Overall dimensions: 1200*650*2050
 Inner liner size: 1120*510*1530
 Voltage: 220V/50HZ
 power: 150W
 power consumption: 2.5KW/24h
 net weight: 85KG
 volume: 875L
 temperature range: 0~10℃



Three door black diamond display freezer

Overall dimensions: 1800*650*2050
 Inner liner size: 1725*510*1530
 Voltage: 220V/50HZ
 power: 220W
 power consumption: 3.5KW/24h
 net weight: 120KG
 volume: 1300L
 temperature range: 0~10℃



Three door air-cooled display freezer

Overall dimensions: 1800*650*2050
 Inner liner size: 1725*510*1530
 Voltage: 220V/50HZ
 power: 220W
 power consumption: 3.5KW/24h
 net weight: 120KG
 volume: 1300L
 temperature range: 0~10℃



Single door standard display freezer

Overall dimensions: 600*650*2050
 Inner liner size: 510*560*1270
 Voltage: 220V/50HZ
 power: 140W
 power consumption: 0.7KW/24h
 net weight: 45KG
 volume: 318L
 temperature range: 0~10℃



Single door standard display freezer

Overall dimensions: 600*650*2050
 Inner liner size: 510*560*1270
 Voltage: 220V/50HZ
 power: 140W
 power consumption: 0.7KW/24h
 net weight: 45KG
 volume: 318L
 temperature range: 0~10℃

Double door standard display freezer

Overall dimensions: 1200*650*2050
 Inner liner size: 1120*450*1270
 Voltage: 220V/50HZ
 power: 260W
 power consumption: 1.2KW/24h
 net weight: 80KG
 volume: 735L
 temperature range: 0~10℃



Double door standard display freezer

Overall dimensions: 1200*650*2050
 Inner liner size: 1120*450*1270
 Voltage: 220V/50HZ
 power: 260W
 power consumption: 1.2KW/24h
 net weight: 80KG
 volume: 735L
 temperature range: 0~10℃



Three door standard display freezer

Overall dimensions: 1800*650*2050
 Inner liner size: 1720*510*1270
 Voltage: 220V/50HZ
 power: 290W
 power consumption: 1.6KW/24h
 net weight: 125KG
 volume: 1120L
 temperature range: 0~10℃



Three door standard display freezer

Overall dimensions: 1800*650*2050
 Inner liner size: 1720*510*1270
 Voltage: 220V/50HZ
 power: 290W
 power consumption: 1.6KW/24h
 net weight: 125KG
 volume: 1120L
 temperature range: 0~10℃



SC-600

Single door back display freeze

Overall dimensions: 600*500*2050
 Inner liner size: 510*455*1275
 power: 130W
 power consumption: 1.2KW/24h
 net weight: 45KG
 volume: 300L
 temperature range: 0~10℃



SC-700

Beverage chiller 700

Overall dimensions: 700*650*2000
 Inner liner size: 610*500*1780
 power: 300W
 power consumption: 2.0KW/24h
 net weight: 100KG
 volume: 600L
 temperature range: 0~10℃

Double door back display freeze

Overall dimensions: 1200*500*2050
 Inner liner size: 1120*455*1275
 power: 219W
 power consumption: 2.6KW/24h
 net weight: 82KG
 volume: 649L
 temperature range: 0~10℃



SC-1200

Beverage chiller 800

Overall dimensions: 800*650*2160
 Inner liner size: 710*500*1780
 power: 347W
 power consumption: 2.5KW/24h
 net weight: 111KG
 volume: 695L
 temperature range: 0~10℃



SC-800

Three door back display freeze

Overall dimensions: 1800*520*2050
 Inner liner size: 1720*455*1275
 power: 240W
 power consumption: 3.0KW/24h
 net weight: 125KG
 volume: 1050L
 temperature range: 0~10℃



SC-1800



SC-1200

Rose gold double door dual temperature

Overall dimensions: 1200*600*2140
 Inner liner size: 1100*500*1045
 power: 389W
 power consumption: 4.95KW/24h
 net weight: 104KG
 volume: refrigerate 575L/freezer 234L
 temperature range: refrigerate 0~10℃
 /freezer 0~-18℃



SC-600

Single door the machine is air-cooled below

Overall dimensions: 600*600*2000
 Inner liner size: 520*510*1530
 power: 206W
 power consumption: 1.48KW/24h
 net weight: 53KG
 volume: 406L
 temperature range: 0~10℃



BD-600

Single door frozen display freezer

Overall dimensions: 640*730*2030
 Inner liner size: 510*560*1530
 power: 850W
 power consumption: 4.2KW/24h
 net weight: 110KG
 volume: 437L
 temperature range: 0~-24℃

Double door the machine is air-cooled below

Overall dimensions: 1200*600*2020
 Inner liner size: 1100*510*1530
 power: 335W
 power consumption: 1.6KW/24h
 net weight: 110KG
 volume: 842L
 temperature range: 0~10℃



SC-1200

Double door frozen display freezer

Overall dimensions: 1260*730*2030
 Inner liner size: 1130*560*1530
 power: 1115W
 power consumption: 5.5KW/24h
 net weight: 186KG
 volume: 868L
 temperature range: 0~-24℃



BD-1200



SC-1800

Three door the machine is air-cooled below

Overall dimensions: 1800*600*2020
 Inner liner size: 1725*510*1530
 power: 385W
 power consumption: 1.9KW/24h
 net weight: 170KG
 volume: 1346L
 temperature range: 0~10℃



BD-1800

Three door frozen display freezer

Overall dimensions: 1880*730*2030
 Inner liner size: 1720*560*1530
 power: 1370W
 power consumption: 6.85KW/24h
 net weight: 245KG
 volume: 1345L
 temperature range: 0~-24℃



SC-1200

Double door the machine is air-cooled below

Overall dimensions: 1200*600*2020
 Inner liner size: 1100*510*1530
 power: 335W
 power consumption: 1.6KW/24h
 net weight: 110KG
 volume: 842L
 temperature range: 0~10℃

Double door the machine is air-cooled below

Overall dimensions: 1200*600*2020
 Inner liner size: 1100*510*1530
 power: 335W
 power consumption: 1.6KW/24h
 net weight: 110KG
 volume: 842L
 temperature range: 0~10℃

SC-1200



SC-1200

Double door the machine is air-cooled below

Overall dimensions: 1200*600*2020
 Inner liner size: 1100*510*1530
 power: 335W
 power consumption: 1.6KW/24h
 net weight: 110KG
 volume: 842L
 temperature range: 0~10℃



BD-398

Chest freezer

Overall dimensions: 1105*730*900
 Inner liner size: 955*500*700
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 0.7KW/24h
 net weight: 53KG
 volume: 350L
 temperature range: 0~-45℃

Chest freezer

Overall dimensions: 1760*730*900
 Inner liner size: 1510*500*700
 Voltage: 220V/50HZ
 power: 170W
 power consumption: 1.4KW/24h
 net weight: 73KG
 volume: 560L
 temperature range: 0~-45℃

BD-598



BD-798

Chest freezer

Overall dimensions: 2000*840*900
 Inner liner size: 1850*610*700
 Voltage: 220V/50HZ
 power: 255W
 power consumption: 1.6KW/24h
 net weight: 83KG
 volume: 750L
 temperature range: 0~-45℃



SD/SC
-158

Ice cream freezer

Overall dimensions: 580*680*810
Voltage: 220V/50HZ
power: 150W
power consumption: 0.8KW/24h
volume: 118L
temperature range: 0~-24℃



BD-198

Chest freezer

Overall dimensions: 750*560*890
Inner liner size: 610*390*650
Voltage: 220V/50HZ
power: 95W
power consumption: 0.5KW/24h
net weight: 40KG
volume: 150L
temperature range: 0~-20℃

Ice cream freezer

Overall dimensions: 1100*640*810
Voltage: 220V/50HZ
power: 220W
power consumption: 1.48KW/24h

SD/SC
-318



Chest freezer

Overall dimensions: 990*560*890
Inner liner size: 850*400*650
Voltage: 220V/50HZ
power: 95W
power consumption: 0.7KW/24h
net weight: 49KG
volume: 250L
temperature range: 0~-20℃

BD-298



SD/SC
-418

Ice cream freezer

Overall dimensions: 1300/1500*640*810
Voltage: 220V/50HZ
power: 225W
power consumption: 1.6/1.71KW/24h



BD-498

Chest freezer

Overall dimensions: 1460*730*900
Inner liner size: 1310*500*700
Voltage: 220V/50HZ
power: 150W
power consumption: 0.84KW/24h
net weight: 59KG
volume: 450L
temperature range: 0~-24℃



BD-398

Chest freezer

Overall dimensions: 1105*730*900
 Inner liner size: 955*500*700
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 0.7KW/24h
 net weight: 53KG
 volume: 350L
 temperature range: 0~-24℃



BD-698

Chest freezer

Overall dimensions: 1960*730*900
 Inner liner size: 1710*500*700
 Voltage: 220V/50HZ
 power: 220W
 power consumption: 0.5KW/24h
 net weight: 79KG
 volume: 650L
 temperature range: 0~-24℃

Chest freezer dual temperature

Overall dimensions: 1460*730*900
 Inner liner size: 620*505*685
 Voltage: 220V/50HZ
 power: 95W
 power consumption: 0.76KW/24h
 net weight: 59KG
 volume: 450L
 temperature range: 0~-24℃

BC/BD
-498



Chest freezer

Overall dimensions: 2000*840*900
 Inner liner size: 1850*610*700
 Voltage: 220V/50HZ
 power: 255W
 power consumption: 1.6KW/24h
 net weight: 83KG
 volume: 750L
 temperature range: 0~-24℃

BD-798



BD-598

Chest freezer

Overall dimensions: 1760*730*900
 Inner liner size: 1510*500*700
 Voltage: 220V/50HZ
 power: 170W
 power consumption: 1.4KW/24h
 net weight: 73KG
 volume: 560L
 temperature range: 0~-24℃



BD-998

Chest freezer

Overall dimensions: 2200*900*900
 Inner liner size: 2050*670*700
 Voltage: 220V/50HZ
 power: 255W
 power consumption: 1.75KW/24h
 net weight: 87KG
 volume: 860L
 temperature range: 0~24℃



BD-1358

Chest freezer

Overall dimensions: 2500*900*900
 Inner liner size: 2350*670*700
 Voltage: 220V/50HZ
 power: 580W
 power consumption: 3.4KW/24h
 volume: 1300L
 temperature range: 0~-24℃

Chest freezer dual temperature

Overall dimensions: 1110*730*900
 Inner liner size: 970*510*685
 Voltage: 220V/50HZ
 power: 170W
 power consumption: 1.4KW/24h
 net weight: 59KG
 temperature range: 0~-40℃

-40℃



Chest freezer

Overall dimensions: 1500*640*810
 Voltage: 220V/50HZ
 power: 225W
 power consumption: 1.4KW/24h



BD-1658

Chest freezer

Overall dimensions: 3100*1030*910
 Voltage: 220V/50HZ
 volume: 1658L
 temperature range: 0~-25℃

Chest freezer

Dimensions: 4140*1040*905
 Packing size: 4200*1065*960
 net weight: 185KG
 Voltage: 220V/50HZ
 power consumption: 6.0KW/24h
 power: 1400W

BD-2380





SD/SC
-1200

Island freezer

Overall dimensions: 1200*700*900
Inner liner size: 1020*520*405
Voltage: 220V/50HZ
power: 275W
power consumption: 2.16KW/24h
net weight: 52KG
volume: 273L
temperature range: 0~-24℃



SD/SC
-1800

Island freezer

Overall dimensions: 1800*800*900
Inner liner size: 1620*620*405
Voltage: 220V/50HZ
power: 380W
power consumption: 3.6KW/24h
net weight: 76KG
volume: 548L
temperature range: 0~-24℃

Island freezer

Overall dimensions: 1400*700*900
Inner liner size: 1220*520*405
Voltage: 220V/50HZ
power: 275W
power consumption: 2.2KW/24h
net weight: 58KG
volume: 324L
temperature range: 0~-24℃

SD/SC
-1400



Island freezer

Overall dimensions: 2000*800*900
Inner liner size: 1820*620*405
Voltage: 220V/50HZ
power: 380W
power consumption: 4.74KW/24h
net weight: 91KG
volume: 614L
temperature range: 0~-24℃

SD/SC
-2000



Island freezer

Overall dimensions: 1630*800*900
Inner liner size: 1450*620*405
Voltage: 220V/50HZ
power: 325W
power consumption: 3.3KW/24h
net weight: 63KG
volume: 483L
temperature range: 0~-24℃

SD/SC
-1600



Island freezer

Overall dimensions: 130*1000*900
Inner liner size: 1950*820*405
Voltage: 220V/50HZ
power: 460W
power consumption: 4.9KW/24h
net weight: 120KG
volume: 648L
temperature range: 0~-24℃

SD/SC
-2100



Chest freezer



SD/SC
-2500

Overall dimensions: 2500*1000*900
Inner liner size: 2320*820*405
Voltage: 220V/50HZ
power: 325W*2
power consumption: 6.21KW/24h
net weight: 140KG
volume: 1010L
temperature range: 0~-24℃

Deep island freezer



SD/SC
-1600

Overall dimensions: 1630*800*900
Inner liner size: 1450*620*660
Voltage: 220V/50HZ
power: 315W
power consumption: 2.95KW/24h
net weight: 71KG
volume: 686L
temperature range: 0~-24℃

Deep island freezer

Overall dimensions: 1200*700*900
Inner liner size: 1020*520*660
Voltage: 220V/50HZ
power: 140W
power consumption: 1.85KW/24h
net weight: 51KG
volume: 386L
temperature range: 0~-24℃

SD/SC
-1200



Deep island freezer

Overall dimensions: 1800*800*900
Inner liner size: 1620*620*660
Voltage: 220V/50HZ
power: 340W
power consumption: 3.1KW/24h
net weight: 81KG
volume: 786L
temperature range: 0~-24℃

SD/SC
-1800



Deep island freezer

Overall dimensions: 1400*700*900
Inner liner size: 1220*520*660
Voltage: 220V/50HZ
power: 220W
power consumption: 2.4KW/24h
net weight: 58KG
volume: 486L
temperature range: 0~24℃

SD/SC
-1400



Deep island freezer

Overall dimensions: 2000*800*900
Inner liner size: 1820*620*660
Voltage: 220V/50HZ
power: 415W
power consumption: 3.3KW/24h
net weight: 91KG
volume: 886L
temperature range: 0~-24℃

SD/SC
-2000



Deep island freezer



SD/SC
-2100

Overall dimensions: 2130*1000*900
Inner liner size: 1950*820*660
Voltage: 220V/50HZ
power: 540W
power consumption: 4.8KW/24h
net weight: 110KG
volume: 1288L
temperature range: 0~-24℃

Deep island freezer

Overall dimensions: 2500*1000*900
Inner liner size: 2320*820*660
Voltage: 220V/50HZ
power: 580W
power consumption: 5.9KW/24h
net weight: 120KG
volume: 1488L
temperature range: 0~-24℃

SD/SC
-2500



Freezer for vegetables

Overall dimensions: 2100*900*910
Voltage: 220V/50HZ
power: 240W
power consumption: 1.7KW/24h
net weight: 85KG
volume: 680L
temperature range: 0~10℃



SC-438

Freezer for vegetables

Overall dimensions: 1600*900*910
Voltage: 220V/50HZ
power: 210W
power consumption: 1.4KW/24h
net weight: 70KG
volume: 480L
temperature range: 0~10℃

SC-538



Curved island freezer



SD/SC
-1500HS

Overall dimensions: 1500*780*800
Inner liner size: 1350*620*500
Voltage: 220V/50HZ
volume: 580L
power: 315W
power consumption: 2.95KW/24h
net weight: 68KG
temperature range: 0~-24℃



SD/SC
-1800HS

Curved island freezer

Overall dimensions: 1800*780*800
Inner liner size: 1650*620*500
Voltage: 220V/50HZ
volume: 680L
power: 420W
power consumption: 3.1KW/24h
net weight: 78KG
temperature range: 0~-24℃

Curved island freezer

Overall dimensions: 2000*780*800
Inner liner size: 1850*620*500
Voltage: 220V/50HZ
volume: 760L
power: 430W
power consumption: 3.3KW/24h
net weight: 88KG
temperature range: 0~-24℃



SD/SC
-2000HS

Combination island freezer

Overall dimensions:
1850*820*780/2100*820*780
Inner liner size:
1700*645*520/1950*645*520
Voltage: 220V/50HZ
volume: 700L/900L
power: 400W/480W
power consumption: 3.1W/24h/4.2W/24h
temperature range: 0~-24℃



SD/SC
-1800ZH

SD/SC
-2100ZH



Four door freezer

Overall dimensions: 1210*730*1930
Voltage: 220V/50HZ
power: 300W
net weight: 110KG
volume: 1000L

Double door display freezer

Overall dimensions: 1210*730*1930
Voltage: 220V/50HZ
power: 300W
net weight: 110KG
volume: 1000L



Six door freezer

Overall dimensions: 1800*730*1930
Voltage: 220V/50HZ
power: 515W
net weight: 125KG
volume: 1300L